

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.:040606

DATE : April 6, 2006

TO SPE OF : ART UNIT 0838

SUBJECT : Request for Certificate of Correction on Patent No.: 6,898,092

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Certificates of Correction Branch - PK 3-910

Palm location 7590 - Tel. No. 305-8201

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Thank You For Your Assistance

Certificates of Correction Branch

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes do not apply.

☐ **Denied**

State the reasons for denial below.

Comments:

KARL EASTHOM
SUPERVISORY PATENT EXAMINER

SPE: Karl Easthom

Art Unit 2838

Staple
Here
Only**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,898,092
DATED : MAY 24, 2005
INVENTOR(S) : MICHAEL BRIERE, JEFFREY GORDON DUMAS AND BISHARA TAHHAN

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Cover Page:

Under References Cited, Other Publications, L.E. LaWhite and M.F. Schlecht publication, replace "Rippel" with --Ripple--

In the Drawings:

Figure 1, " I_M " should be replaced with -- I_{IN} --

In the Specification:

Column 6, line 54, "ratio N_P/N_T " should be replaced with --ratio N_T/N_P --

Column 8, Line 43, "device L1" should be replaced with --device L--

In the Claims:

Column 10, Line 18, "negative lines" should be replaced with --negative line--

MAILING ADDRESS OF SENDER:

David L. Feigenbaum
Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110

PATENT NO. 6,898,092

No. of add'l copies

MAR 28 2006